L Number	Hits	Search Text	DB	Time stamp
-	44131	combustion near2 engine.clm.	USPAT;	2003/02/22 12:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2987	(combustion near2 engine.clm.) and pressure near3 (sens\$4	USPAT;	2002/11/13 15:17
{	200,	measur\$4 detect\$4 identif\$4 indicat\$4 test evaluat\$4 gauge	US-PGPUB;	2002/11/10 10:1/
1		cell transducer).clm.	EPO; JPO;	
		cell transducer).cim.	DERWENT:	0
İ				
ļ			IBM_TDB	
-	314	((combustion near2 engine.clm.) and pressure near3 (sens\$4	USPAT;	2002/11/13 15:18
ļ		measur\$4 detect\$4 identif\$4 indicat\$4 test evaluat\$4 gauge	US-PGPUB;	
Į		cell transducer).clm.) and diaphragm.clm.	EPO; JPO;	
į		·	DERWENT;	
			IBM_TDB	
-	3	(((combustion near2 engine.clm.) and pressure near3	USPAT;	2002/11/13 15:18
		(sens\$4 measur\$4 detect\$4 identif\$4 indicat\$4 test evaluat\$4	US-PGPUB;	
		gauge cell transducer).clm.) and diaphragm.clm.) and	EPO; JPO;	
		piezoresistive.clm.	DERWENT:	
		piozofodiotivo.ontii.	IBM_TDB	
	. 793	(73/715) CCI S	USPAT;	2003/02/20 13:35
-	. 193	(73/715).CCLS.		2003/02/20 13.33
		·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	((73/715).CCLS.) and bar	USPAT;	2003/02/20 13:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	4	(((73/715).CCLS.) and bar) and piezoresist\$4	USPAT;	2003/02/20 13:47
ĺ	•	(((/ o/ / 10).0020.) diva bar) arra prozorostato	US-PGPUB;	
		·	EPO; JPO;	
		·	DERWENT	
				·
	_	(48.400.070.48) (80.500.0078) (80.40.555.08) (80.04.07.408)	IBM_TDB	0000/00/00 40/50
-	9 .	(("4686764") or ("2569987") or ("3405559") or ("3619742") or	USPAT	2003/02/20 13:58
		("3808480") or ("3943915") or ("4314480") or ("4367651") or		
		("4656096")).PN.		
-	29627	diaphragm.clm.	USPAT;	2003/02/22 12:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	4249	diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/02/22 12:37
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).cim.	DERWENT:	
		Constitution of the second of	IBM_TDB	
	38	(diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/04 18:09
-	30	detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	2000/00/04 10:03
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip).clm.	IBM_TDB	
-	38	(diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/04 18:37
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
1		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
1		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip).clm.	IBM_TDB	
_	21	((diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/04 17:17
	- '	detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT:	
		resilien\$5) near3 (bar rod beam strip).clm.) and signal	IBM_TDB	2002/02/04 47:47
-	1_	("4475405").PN.	USPAT	2003/03/04 17:17

Search History 7/25/03 4:04:37 PM Page 1

			•	
-	4	((diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/04 17:58
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip).clm.) and overload	IBM_TDB	
-	3	((diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/06 19:05
	-	detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
·	ĺ	transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	4
		resilien\$5) near3 (bar rod beam strip).clm.) and combustion	IBM_TDB	
_	38	(diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT:	2003/03/04 18:29
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
	Ì	resilien\$5) near3 (bar rod beam strip).clm.	IBM_TDB	
	101	(diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/06 19:24
_	101	detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	2003/03/00 19.24
	ļ			
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
	_	resilien\$5) near3 (bar rod beam strip)	IBM_TDB	0000/00/04 40 00
-	7	((diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/04 18:36
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip)) and combustion	IBM_TDB	
-	33	(diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/04 18:41
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip).clm.	IBM_TDB	
_	3	((diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/05 15:42
		detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip).clm.) and combustion	IBM_TDB	
		near3 engine		
·_	101	(diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/07/25 13:31
_	101	detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
	1		IBM_TDB	
		resilien\$5) near3 (bar rod beam strip)	USPAT;	2003/03/06 19:29
-	4	((diaphragm.clm. and pressure near3 (measur\$5 test\$4 detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	2003/03/00 19.29
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
		calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	,
	1	resilien\$5) near3 (bar rod beam strip)) and steel near3	IBM_TDB	
		diaphragm		0000/00/00 40 55
-	2	((diaphragm.clm. and pressure near3 (measur\$5 test\$4	USPAT;	2003/03/06 19:36
	[detect\$4 determin\$4 sens\$4 identif\$6 evaluat\$5 estimat\$5	US-PGPUB;	
		transducer gauge cell monitor\$4 comput\$4 inspect\$5	EPO; JPO;	
	1	calculat\$4).clm.) and (flexible bendable deformable	DERWENT;	
		resilien\$5) near3 (bar rod beam strip)) and piezoresist\$4	IBM_TDB	
	1	near3 wheatstone		
-	52924	pressure near3 (measur\$5 test\$4 detect\$4 determin\$4	USPAT;	2003/07/25 13:33
		sens\$4 identif\$6 evaluat\$5 estimat\$5 transducer gauge cell	US-PGPUB;	
		monitor\$4 comput\$4 inspect\$5 calculat\$4).clm.	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
l .	680	(pressure near3 (measur\$5 test\$4 detect\$4 determin\$4	USPAT;	2003/07/25 13:34
-		sens\$4 identif\$6 evaluat\$5 estimat\$5 transducer gauge cell	US-PGPUB;	2000/07/20 10:04
		monitor\$4 comput\$4 inspect\$5 calculat\$4).clm.) and	EPO; JPO;	
			DERWENT;	
		(diaphragm near3 (chip element arrangement tongue bar		
L	L	beam rod piezo\$7)).clm.	IBM_TDB	<u> </u>

Y	

-	75	((pressure near3 (measur\$5 test\$4 detect\$4 determin\$4	USPAT;	2003/07/25 13:34
		sens\$4 identif\$6 evaluat\$5 estimat\$5 transducer gauge cell	US-PGPUB;	
		monitor\$4 comput\$4 inspect\$5 calculat\$4).clm.) and	EPO; JPO;	
		(diaphragm near3 (chip element arrangement tongue bar	DERWENT,	
		beam rod piezo\$7)).clm.) and chip.clm.	IBM_TDB	
-	4	(((pressure near3 (measur\$5 test\$4 detect\$4 determin\$4	USPAT;	2003/07/25 16:04
		sens\$4 identif\$6 evaluat\$5 estimat\$5 transducer gauge cell	US-PGPUB;	
		monitor\$4 comput\$4 inspect\$5 calculat\$4).clm.) and	EPO; JPO;	
7 14		(diaphragm near3 (chip element arrangement tongue bar	DERWENT;	
		beam rod piezo\$7)).clm.) and chip.clm.) and (tongue bar	IBM_TDB	
		beam).clm.		